

PRODUCT CATALOG

- 2020 -

We are the masters in supplying architectural specialty products for the hospitality industry.



Get the exact hardware you need.

Yes, place the emphasis on exactly matching your needs with exactly the proper hardware.

Archmaster was founded by architectural supply veterans with an exclusive hotel focus. Our single mission is facilitate absolute goodness of fit between facility, project and product.

We bring decades of knowledge across hotel environments, guests' experiences, maintenance protocol, industry standards, brand requirements and code regulations.

Couple that with a deep manufacturer relationships and a catalog dedicated to architectural hardware, your experience becomes exponential time savings, zero purchasing/installation errors, and valuable brand reinforcement

With so many details on your head, with so many choices to choose from, it's time for shortcuts.

Table of Contents

Guest Room

Entry Door	5
Connecting Door	11
Bed/Bathroom Swing Door	15
Levers	18
Finishes	19
Bathroom Accessories	21
Closet Doors	25
Door Pulls	28
Public Bathroom	
Public Space	
Exit Doors	47
Ballroom/Meeting Room	51
Back of House	55



Guest room maintenance needs to happen quickly and quietly. You' your order rapidly and they will be sorted and packaged separately for e so that installation is faster than 1-2-3. Our goal? Keep the rooms spiffy and available to easily attract more be

GUEST ROOM



11103 Five Knuckle, Ball Bearing, Standard Weight, Full Mortise, Steel Hinge

Dimensions: 4-1/2" x 4" 4-1/2" x 4-1/2"

Finishes: USP US3 US4 US10B US15 US26 US26D



75114 UL Listed 200° Door Viewer w/ Heavy Duty Privacy Cover

Dimensions: Head Dia. 1"; Bore 9/16"; For Doors 1-3/8" - 2-1/4" Thick

Finishes: US3 US10B US26 US26D



75120 Self Closing Door Viewer Cover

Dimensions: 1-3/5" x 5/8" x 1-3/5"

Finishes: Polished Brass, White Brown



11105 Single Acting, Square Corner, Full Mortise -Spring, Stainless Steel Hinge

Dimensions: 4-1/2" x 4" 4-1/2" x 4-1/2"


Finishes: US32 US32D



11118 Swing Clear, Full Mortise, Hinge

Hinge will add approx. 2" to the door clearance

Finishes: USP US10 US10A US10B US26D



6





Finishes: Aluminum Black Bronze Dark Bronze Gold



33103 Grade 1, Heavy Duty Door Closer with slim cover

ENTRY DOG

7

Dimensions:

Finishes: Aluminum Black Bronze Dark Bronze Gold



75107 Privacy Door Latch with Installation Bracket

Dimensions: W 1-1/2" H 2-13/64"

US3 US4 US10B US26 US26D/15 Finishes:



Privacy Door Latch Decals Used to Cover Old Door Latch Holes

Dimensions: W 1-1/4" H 3"

Finishes:



🖌 o check how well any of our items go with your doors, ask us for samples. They're free!



45122 Concealed mounting, convex bumper. Back plate prevents damage to wall.

Dimensions: 2-1/2"; Projection 1"

US3 US4 US10 US10BE US26 US26D US32D Finishes:



45121 Concealed mounting, concave grey bumper. Back plate prevents damage to wal

Dimensions: 2-1/2"; Projection 1"

Finishes: US3 US4 US10 US10BE US26 US26D US32D



45110 High Dome Stop for Doors With Threshholds or Undercut Doors

Dimensions:	Base 1/2"; Dia. 1-7/8"; H 1-1/2" 1-11/16"			2" Base	Base 7/32"; Dia. 1-7/8"; H		
Finishes:	US3	US4	US10	US15	US10B	US10BE	US26D



Seal, .75 Drop hruch (NR) W 9/16" H 1-3/8"

with Nylon Brush

Finishes: Aluminum

Dimensions:

Dimensions:

Acoustic Corner Pad for Sound **Control Seal**

W 1-1/4" H 2"

Finishes: Black White

51101 Adhesive Weatherstrip, 1/2 **Triple Fin**

Dimensions: W 1/2" H 3/8"

Finishes: Black Dark Brown Clear White Gray





Dimensions: Top W 3-1/2"; Bottom W 3-3/8"; H 23/32"

Finishes: Black



Finishes: Black Dark Brown

51113 Carpet Divider, 2.5 Vinyl for Carpet to Carpet, .72 Height

Dimensions: Top W 2-3/4"; Bottom W 2-1/2"; H 23/32"

Finishes: Black Dark Brown

Sealing the door means noisy hallways don't disturb anybody's sleep. Public locale notwithstanding, your guests won't suffer from snooping, eavesdropping or excess noise. Besides, they are important to seal the guest rooms from smoke in case of fire.



Dimensions: Top W 2-3/4"; Bottom W 2"; H 23/32"

Finishes: Black Dark Brown



Dimensions: Top W 3-7/16"; Bottom W 3-3/16"; H 23/32"

Finishes: Black



45117 Solid Brass Round Universal Floor Mounted Bumper,

Dimensions: H 3" Dia. 2-1/4"

Finishes: US4 US10B US14 US15 US26



Solid Brass Square Universal Floor Mounted Bumper,

Dimensions: H 2-1/2" W 2-1/8" H 1-3/8" W 1-1/4"

Finishes: US4 US10B US14 US15 US26

You've got walls - and a glamourous reputation to protect. These upscale door stoppers is the high end way to keep your walls damage-free.

CONNECTING DOOR





23131 Thumbturn Only (no cylinder) Deadlock

Dimensions:

Finishes: US3 US4 US10 US10B US26D US32D



Dimensions:

Finishes: US3 US4 US10 US10B US26D US32D



21125 Cylindrical Lock /Exit

See page 18 for more lever designs.

Finishes: US3 US10B US26D

info@archmaster.com | 866-400-9060

As a multifunctioning door, the connecting door has unique needs for hardware. We'll help you outfit them properly –and your guests will never even know that they are connected to another room.





23132 Square Deadbolt Communicating

Dimensions:

6


Finishes: US32D US10B



51118 Adjustable Vinyl Divider and Threshold, Carpet to Carpet

Dimensions:

Finishes: Black





Dimensions: W 1-3/4" H 1"

Finishes: Dark Brown White



So much hinges on getting the proper hardware in place. When guests ir hotel don't know what's involved, you know you've done the job well.

BED/BATHROOM SWING DOOR

3 - **L**

Cylindrical Lock / Privacy Locks by pushing the inside lever push

21140

45115

Solid Brass

Contemporary

Floor Mounted

Door Bumper

button, and unlocks by turning the inside lever or through an emergency release from outside. Closing the door will release the push button to prevent the room from getting locked after someone exits.

C 11114 \Box Ο Five Knuckle, G Plain Bearing, 0 \mathbf{O} Light Weight, Full Mortise, Half O С hinge round, **Stainless Steel**

Dimensions: 4" x 4"

Finishes: US3 US10R US15 US32D





11102 Five Knuckle, Plain Bearing, Standard Weight, Full Mortise, Round corner with 1/4" radius standard, Steel Hinge

Dimensions: 4" × 4"

Finishes:

US15 US26 US26D

See page 18 for more lever designs.

US3 US10B US26D

Finishes:

H 2-1/2" W 1-3/16" Dimensions:

Finishes: US3 US4 US5 US10B US14 US15 US15A US19 US26 US26D



11101 Five Knuckle, Plain Bearing, Standard Weight, Full Mortise, Steel Hinge

4-1/2" x 4" 4-1/2" x 4-1/2" Dimensions:

USP US3 US4 US10B US15 US26 US26D Finishes:



11112 Five Knuckle, Plain Bearing, Light Weight, Full Mortise, Round corner with 5/8" radius, Stainless Steel

3-1/2" x 3-1/2" 4" x 4" Dimensions:

Finishes: US3 US4 US5 US10R US15 US15A US26 US26D US32 US32D



Dimensions: H 1-9/16" W 1-1/4"

US32 US32D Finishes:



Dimensions:

Finishes: ALM BLK BRZ DBZ



11104 Five Knuckle, Plain Bearing, Standard Weight, Half Mortise, Steel Hinge

Dimensions: 4-1/2"

USP US10 US10A US10B US26D Finishes:



11109 Five Knuckle, Ball Bearing, Light Weight, Full Mortise, Stainless Steel

Dimensions: 3-1/2" x 3-1/2" 4" x 4"

Finishes: US32D



11108 Five Knuckle, Plain Bearing, Light Weight, Full Mortise, Stainless Steel

Dimensions: 3" x 3" 3-1/2" x 3-1/2" 4" x 4"

Finishes: US32 US10R US15 US32 US32D



11118 Swing Clear, Full Mortise, Hinge

Hinge will add approx. 2" to the door clearance

Finishes: USP US10 US10A US10B US26D







23111

Traditional lever that's comfortable to grip. It's available for all lock functions.



Neat, rounded design. It's available for all lock functions.

Fo turn suite hardware into sweet work, try our free samples.



23115

The slight inward twist and the thin handle give it a classy style. it's available for all lock functions.



23116

Adaptable design that spruces up any door in any room. it's available for all lock functions.



23119

Looks great in a modern space, but its neatness and round rosette helps it fit in anywhere. It's available for privacy, passage & dummy locksets.



23120

The position of the handle has a more elegant feel. It's available for privacy, passage & dummy locksets



23121

Unique two-tone coloring. It's available for privacy, passage & dummy locksets.



23123

Muted elegance; it's eye-pleasing while conforming to the room's tone. It's available for privacy, passage & dummy locksets.



23124

Playful design embedded in the classic mold. It's available for privacy, passage & dummy locksets.



23125

Attractive lever arching slightly. It's available for privacy, passage & dummy locksets.



23126

Encased in the same round rosette, but with an interesting downward slope. It's available for privacy, passage & dummy locksets.

US3	US32	US19
US4	US32D	US10A
US10	USP	626W
US10B	US1D	US28
US26	DD3	US10
US26D	US9	
US15	US14	

19



Get comfort + ease. There's nothing like tasteful bath make your guests feel indulged. These items also have ni maintenance by the hotel staff.

BATHROOM ACCESSORIES



nfo@archmaster.com | 866-400-9060



Description: Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 31/8 (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8 (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, 33/16 (81 mm) diameter.



Description: Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 3-1/8 (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8 (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge; 3-3/16 (81 mm) diameter.



91110 Folding Shower Seat

Description: Seat is 5/16" (8 mm) thick, one piece, solid phenolic, semigloss laminate white colored top and bottom and shall have black edges. Frame, support legs, flanges and bracket are type 304 satin finished stainless steel. Guide bracket shall control seat lowering into operating position. Seat measures 28" (711 mm) wide and projects 21" (533 mm) from wall.



Description: Round modern waste basket 2.9 gallons / 11 liter capacity

91113

Waste Basket



91109 Waste Receptacle

Description: User opens lid by depressing foot pedal and deposits waste material. Unit is emptied by removing either disposable bag (supplied by others) or pail to empty into appropriate bulk collection container. Plastic pail with wire ball included. Brightfinish stainless steel. Capacity: 2 gal. (7.6 L).



Description: Square modern waste basket 3 gallons / 11.7 liter capacity

Cetting five star reviews is not vanity, it's a necessity.





S the closet lacking hangers? Guest find that forgivable. But jammed closet doors or doors that take power to move make a hotel look old.

CLOSET DOORS

K7/K7



11101 Five Knuckle, Plain Bearing, Standard Weight, Full Mortise, Steel Hinge

Dimensions: 4-1/2" x 4" 4-1/2" x 4-1/2"

Finishes: USP US3 US4 US10B US15 US26 US26D



Dimensions: 3" x 3" 3-1/2" x 3-1/2" 4" x 4"

Finishes: US32 US10R US15 US32 US32D



11104 Five Knuckle, Plain Bearing, Standard Weight, Half Mortise, Steel Hinge

Dimensions: 4-1/2"

Finishes: USP US10 US10A US10B US26D



11112 Five Knuckle, Plain Bearing, Light Weight, Full Mortise, Round corner with 5/8" radius, Stainless Steel

Dimensions: 3-1/2" x 3-1/2" 4" x 4"

Finishes: US3 US4 US5 US10R US15 US15A US26 US26D US32 US32D



11109 Five Knuckle, Ball Bearing, Light Weight, Full Mortise, Stainless Steel

Dimensions: 3-1/2" x 3-1/2" 4" x 4"

Finishes: US32D



21110 Cylindrical Lock/ Passage

Just a lever without a locking mechanism. It can be opened by turning the lever from either side.

See page 18 for more lever designs.

Finishes: US3 US10B US26D



65102 Heavy Duty Security Flush Door Pull

Dimensions: 4" x 5"

Finishes: US4 US10BE US26D



⁶⁵¹⁰⁸ Cast Brass Flush Door Pull, Rounded Corners

Dimensions: 2-11/16" x 4-3/16"

Finishes: US3 US4 US10 US10B US10BE US26 US26D



Dimensions: Dia. 3-1/2"

Finishes: US3 US4 US10 US10B US10BE US26 US26D





US3 ZINC US10B

Single dummy lever without a locking mechanism. It can be opened by pulling the lever.

See page 18 for more lever designs.

Finishes:

Finishes: US3 US10B US26D



Dimensions: 1-7/8"X 5/16" 2-1/4"X 1/2" 3" X 3/4"

Finishes: US3 US5 US10B US15 US15A US19 US26 US26D CR003

75118 Surface Mount

Catch



75103

Ball Catch with

Square Corner,

Wide Strike

Dimensions:	Body 9/16" x 3-1/8"; Strike (1) 5/8" x 3-1/8"; Strike (2) 5/8" x 1-1/8"
Finishes:	US15 US32D



75109 Roller Latch with ASA Strike

Dimensions: Strike 1-1/4" x 4-7/8"; Latch Face 1" x 3-3/8"

Finishes: US3 US4 US10 US10B US10BE US26 US26D



75110 Roller Latch with 161 Strike

Dimensions: Strike 1-1/8" x 2-3/4"; Latch Face 1-1/8" x 2-1/4"

Finishes: US3 US4 US10 US10B US10BE US26 US26D




Dimensions: Works with 1/4" and 5/16" Hinge Pins

Finishes:



All models are available in many finishes. Choose the design you go for and we'll contact you with your options of finishes.



To meet the myriad ne accessories. But it's not only c your hotel staff will appreciate that don't splash & 6

-

6

PUBLIC BATHROOM

Cylindrical Lock / Privacy Locks by pushing the inside lever push

button, and unlocks by turning the inside lever or through an emergency release from outside. Closing the door will release the push button to prevent the room from getting locked after someone exits.

21140







Finishes:



11103 Five Knuckle, Ball Bearing, Standard Weight, Full Mortise, Steel Hinge

USP US3 US4 US10B US15 US26 US26D Finishes:



65101 Pull Plate, Heavy Weight

Dimensions: Custom Sizing Available

See page 18 for more lever designs.

US3 US10B US26D

Finishes:

Finishes: US3 US4 US10 US10B US10BE US26 US26D US28 US32D US32DMS



75115 Standard Duty Metal Kick Plate, .050 Thick

Dimensions: Custom Sizing Available

Finishes: US3 US4 US9 US10 US10B US10BE US26 US26D US28 US32

 \mathcal{N} e know how hard these things gets used, that's why all accessories are designed to withstand the heaviest of handling.

33101 Grade 1, Heavy **Duty Surface** Door Closer, up to 330 lb.

Dimensions:

Finishes: Aluminum Black Bronze Dark Bronze Gold



Main Arm

Dimensions:



45122 Concealed mounting, convex bumper. Back plate prevents damage to wall.

Dimensions: 2-1/2"; Projection 1"

Finishes: US3 US4 US10 US10BE US26 US26D US32D



45121 Concealed mounting, concave grey bumper. Back plate prevents damage to wal

Dimensions: 2-1/2"; Projection 1"

Finishes: US3 US4 US10 US10BE US26 US26D US32D

45107 Heavy Duty **Cast Brass Floor** Mounted Door 41 Stop, 2-3/4 Height

Dimensions: Base 1-5/8" x 2-5/8"; Projection 2-3/4"

Finishes: US3 US4 US10 US10B US10BE US26 US26D



45102 Cast Brass Floor Mounted Door Stop

Base 2-1/2"; H 3" Dimensions:

Finishes: US3 US4 US10 US10B US10BE US26 US26D



Floor Mounted Door Stop With

Dimensions: Base 2-1/2"; H 3-3/4"; Keeper 1" x 1-3/4"


Finishes: US3 US4 US10 US10B US10BE US26 US26D



45106 Heavy Duty, Cast Brass Floor Mounted Door Stop, 2-1/8 Height

Dimensions: Base 1-1/2" x 2-1/2"; Projection 2-1/8"

Finishes: US3 US4 US10 US10B US10BE US26 US26D





81102 Recessed Mounted Twin Hide-A-Roll Auto Refill Toilet Paper Dispenser with Flange

Dimensions: W 6-1/2" H 14" D 8"

Capacity 3 Rolls up to 5-1/4" Diameter (1800 sheets)



 \oslash



81105 Surface Mounted Paper Towel Dispenser and Waste Receptacle

Dimensions: W 4-1/2" H 28" D 14-1/4"

Capacity 350 C-Fold or 475 Multi-Fold Paper Towels 2 Gal. Waste Receptacle



Dimensions: W 14-1/4" H 28" D 4-3/4"

Capacity 350 C-Fold or 475 Multi-Fold Paper Towels 2.2 Gal. Waste Receptacle

81110 Simplicity **Recessed Paper Towel Dispenser** and Waste Receptacle

Dimensions: W 14-5/16" H 28-1/16" D 4-11/16"

2.2 Gal. Waste Receptacle

350 C-Fold or 475 Multi-Fold Paper Towels

81111 **PIATTO™** Completely **Recessed Paper Towel Dispenser** and Waste Receptacle -Matte Black Phenolic Door

81106 Semi-Recessed Paper Towel Dispenser and Waste Receptacle

W 55" H 6-1/4" D 13" Dimensions:

Capacity 600 C-Fold, 800 Multi-Fold, or 1100 Single-Fold Paper Towels 7 Gal. Waste Receptacle



That's because all hotels deserve elegance, from homey boutiques to the Ritz.

86102 **PIATTO™** Completely **Recessed Waste** Receptacle – Matte Black Phenolic Door

17-1/4" x 40" x 6-9/16" Dimensions[.]

Capacity 12 Gal.

Capacity

81109 **PIATTO™** Completely **Recessed Paper Towel Dispenser** and Waste Receptacle -Matte Black Phenolic Door

and Waste Receptacle -White Phenolic Door

81108

PIATTO™

Completely

Recessed Paper

Towel Dispenser

Dimensions: W 17-1/4" H 54" D 6-9/16"

600 C-Fold, 800 Multi-Fold, or 1100 Single-Fold Paper Towels Capacity 9 Gal. Waste Receptacle

Dimensions[.] W 17-1/4" H 54" D 6-9/16"

Capacity 9 Gal. Waste Receptacle



81104 **Recessed Paper Towel Dispenser** and Waste Receptacle

Dimensions: W 4-1/4" H 28" D 14-1/4"

350 C-Fold or 475 Multi-Fold Paper Towels Capacity 2 Gal. Waste Receptacle





84101 TRI-UMPH™ **High Speed No** Splash Back Ultra Hygienic Hand Dryer

Dimensions: 12-11/16" x 23-1/8" x 7-3/4"

Finishes: Silver Black Specifications Triple HEPA Filter System



Finishes: White Specifications Triple HEPA Filter System 84102 TRI-UMPH™ High Speed No Splash Back Ultra Hygienic Hand Dryer



84103 TURBO-TUFF™ **Recess Mounted** Ultra High Speed Automatic Hand Dryer with Adjustable Settings

Dimensions: 12-19/32" x 15-3/4" x 4-1/16"

Specifications <15 Second Drying Time Automatic Shut-Off



84105 TURBO-PROâ,,¢ High Speed ADA Air Purified Automatic Hand Dryer with Adjustable Settings – White

Dimensions: 8-5/8" x 13-9/16" x 4"

Specifications HEPA Filter



TURBO-PROâ,,¢ High Speed ADA Air Purified Automatic Hand Dryer with Adjustable Settings – Matte Black

Dimensions: 8-5/8" x 13-9/16" x 4"

Specifications HEPA Filter





84106 TURBO-PROâ,,¢ High Speed ADA Air Purified Automatic Hand Dryer with Adjustable Settings – Satin **Stainless Steel**

Dimensions: 8-5/8" x 13-9/16" x 4"

Specifications HEPA Filter



85101 Surface Mounted Baby Changing Station, Horizontal with Safety Strap and Bed Liner Dispenser

Dimensions: Closed: 35-5/32" x 24-1/4" x 3-7/8"; Open: 35-5/32" x 24-1/4" x 22-1/32" 300 Lbs. Capacity




85102 Recessed Baby Changing Station, **Stainless Steel** Door and Collar, Horizontal

Dimensions: Closed: 39-5/32" x 28-1/4" x 3/8"; Open: 39-5/32" x 28-1/4" x 18-1/8" 300 Lbs. Capacity



2132-12 Surface Mounted Baby Changing Station, Stainless Steel Door and Collar, Horizontal

Dimensions: Closed: 39-5/32" x 28-1/4" x 3-5/16"; Open: 39-5/32" x 28-1/4" × 18-1/8" 300 Lbs. Capacity



61102 Coat Hook

Dimensions: Base Plate Dia. 1"; Projection 3"

US3 US4 US10B US10BE BSP WSP US26 Finishes: US26D



Dimensions: Dia. 3/4"; Projection 1-1/2"

Finishes: US3 US4 US10B US10BE US26 US26D

61103

Coat Hook



61109 Groove Coat Hook with Base Plate

37

Dimensions: Dia. 5/8"; Projection 2-1/8"

Finishes: US10BE BSP WSP US32D

info@archmaster.com | 866-400-9060



82102 Stainless Steel Inter-Lok Angle Frame Mirror -Plate Glass

Dimensions: Custom Sizing Available



Dimensions: Custom Sizing Available

Specifications Tapered from 4" at top to 1" at bottom



82103 ROVAL[™] Inter-Lok Stainless Steel Framed Mirrors -Plate Glass

Dimensions: Custom Sizing Available

your needs may be varied, which is why we have a toobig-collection of messages for them all to be shown here. Just ask us for what you need and we'll get you that.





Finishes: US3 US4 US10 US10B US32 US32D



Finishes: US3 US4 US10 US10B US32 US32D





711023 Indicator Plate Engraved Men

Dimensions: Custom Sizing Available

Finishes: US3 US4 US10 US10B US32 US32D

PUBLIC SPACE





your hotel is your pride and joy and it needs top notch protection. We'll guide you towards the right hardware for the right places so that the hotel brand is satisfied while the hotel continues to function at its best.



33111 Flush Mount Electromagnetic Door Holder, Designed for fire doors, top mount



Dimensions: Finishes:

Finishes: US3 LS L2



33112 Floor Mount (Singel Door) Electromagnetic Door Holder, Designed for fire doors

Dimensions:

Finishes: US3 LS L2



US3 LS L2

33114 **Recessed Mount** Electromagnetic Door Holder, Designed for fire doors, top mount



33113 Floor Mount (Double Door) Electromagnetic Door Holder, Designed for fire doors

Dimensions:

Finishes: US3 LS L2



33115 Surface Mount Electromagnetic Door Holder, Designed for fire doors, top mount

Dimensions:

Finishes: US3 LS L2







45108 Heavy Duty Cast Brass Floor Mounted Door Stop With Keeper, 3 Height

Dimensions: Base 1-5/8" x 2-5/8"; Projection 3"; Keeper 1" x 2"

US3 US4 US10 US10B US10BE US26 US26D Finishes:



Dimensions: 2-1/2"; Projection 1"

45122 Concealed mounting, convex bumper. Back plate prevents damage to wall.

Finishes:

US3 US4 US10 US10BE US26 US26D US32D



45106 Heavy Duty, Cast Brass Floor Mounted Door Stop, 2-1/8 Height

Dimensions: Base 1-1/2" x 2-1/2"; Projection 2-1/8"

Finishes: US3 US4 US10 US10B US10BE US26 US26D



45107 Heavy Duty **Cast Brass Floor** Mounted Door Stop, 2-3/4 Height

Dimensions: Base 1-5/8" x 2-5/8"; Projection 2-3/4"

Finishes: US3 US4 US10 US10B US10BE US26 US26D




Concealed mounting, concave grey bumper. Back plate prevents damage to wal

Dimensions: 2-1/2"; Projection 1"

Finishes: US3 US4 US10 US10BE US26 US26D US32D











75118 Standard Duty Metal Shaped Kick Plate, .050 Thick Dimensions: Custom Sizing Available

Finishes: US32D

75115 Standard Duty Metal Kick Plate, .050 Thick

Dimensions: Custom Sizing Available

Finishes:

Clear

Finishes: US3 US4 US9 US10 US10B US10BE US26 US26D US28 US32 Specialty doors like these can be protected from accidental damage with kick plates



75116 Windstorm Kick Plate, .050 Thick

Dimensions: Custom Sizing Available Finishes: US3 US4 US9 US10 US10B US10BE US26

US26D US28 US32





Dimensions: W 1/2" H 1/4"

Finishes: Black Silicone Dark Brown Silicone Gray Silicon Gray Silicon Clear Silicone Tan Silicone **UBLIC SPAC**

inf












Play safe with our zero-mistake guarantee. We'll make sure you purchase the best fit for each spot.



N XI

ACC

-1010





33112 Floor Mount (Singel Door) Electromagnetic Door Holder, Designed for fire doors

Dimensions:

Finishes: US3 LS L2



33115 Surface Mount Electromagnetic Door Holder, Designed for fire doors, top mount

Dimensions:

Finishes: US3 LS L2





33114 Recessed Mount Electromagnetic Door Holder, Designed for fire doors, top mount

Dimensions:

Finishes: US3 LS L2



33113 Floor Mount (Double Door) Electromagnetic Door Holder, Designed for fire doors

Dimensions:

Finishes: US3 LS L2



33111 Flush Mount Electromagnetic Door Holder, Designed for fire doors, top mount

Dimensions:

Finishes: US3 LS L2





On't fret about the different rules for different rooms. We've got your back for those larger spaces too.

And of course, since they are booked well in advance, the hardware is built solid — to be sure untimely breakdowns don't happen.

BALLROOM MEETING ROOM

•



info@archmaster.com | 866-400-9060





33111 Flush Mount Electromagnetic Door Holder, Designed for fire doors, top mount



Finishes: US3 LS L2



33112 Floor Mount (Singel Door) Electromagnetic Door Holder, Designed for fire doors

Dimensions:

Finishes:

US3 LS L2

33114 **Recessed Mount** Electromagnetic Door Holder, Designed for fire doors, top mount

Dimensions:

Finishes: US3 LS L2



33115 Surface Mount Electromagnetic Door Holder, Designed for fire doors, top mount

Dimensions:

Finishes: US3 LS L2



Dimensions: W 3/32" H 7/16"

Finishes: Black Silicone Dark Brown Silicone Gray Silicon Gray Silicon Clear Silicone Tan Silicone



51105 Adhesive Weatherstrip, .5 Wide Silicone with Double Fin Seal

Dimensions: W 1/2" H 3/16"

Finishes: Black Silicone Dark Brown Silicone Gray Silicon Gray Silicon Clear Silicone Tan Silicone



33113 Floor Mount (Double Door) Electromagnetic Door Holder, Designed for fire doors

Dimensions:

Finishes: US3 LS L2

info@archmaster.com | 866-400-9060



Out of sight for guest - and that's how it should stay. Get the right protective hardware to ensure the hotel runs smoothly as suitcases.

BACK OF HOUSE



23127

23141

Trilogy


door locks

standalone digital

cylindrical keyless

deadlock

Double cylinder





45107 Heavy Duty Cast Brass Floor Mounted Door Stop, 2-3/4 Height

Dimensions: Base 1-5/8" x 2-5/8"; Projection 2-3/4"

Finishes: US3 US4 US10 US10B US10BE US26 US26D



45108 Heavy Duty Cast Brass Floor Mounted Door Stop With Keeper, 3 Height

Dimensions: Base 1-5/8" x 2-5/8"; Projection 3"; Keeper 1" x 2"

Finishes: US3 US4 US10 US10B US10BE US26 US26D



45122 Concealed mounting, convex bumper. Back plate prevents damage to wall.

Dimensions: 2-1/2"; Projection 1"

Finishes: US3 US4 US10 US10BE US26 US26D US32D

While you don't need to impress the guests in those areas, the hotel owners still need to be satisfied. Let us help you pass their inspections by using precise hardware.



45121 Concealed mounting, concave grey bumper. Back plate prevents damage to wal

Dimensions: 2-1/2"; Projection 1"

Finishes: US3 US4 US10 US10BE US26 US26D US32D



45102 Cast Brass Floor Mounted Door Stop

Dimensions: Base 2-1/2"; Height 3"

US3 US4 US10 US10B US10BE US26 US26D Finishes:



45103 Cast Brass Floor Mounted Door Stop With Keeper

Dimensions: Base 2-1/2"; Height 3-3/4"; Keeper 1" x 1-3/4"

Finishes: US3 US4 US10 US10B US10BE US26 US26D



45106 Heavy Duty, Cast Brass Floor Mounted Door Stop, 2-1/8 Height

Dimensions: Base 1-1/2" x 2-1/2"; Projection 2-1/8"

US3 US4 US10 US10B US10BE US26 US26D Finishes:





866.400.9060

info@archmaster.com www.archmaster.com